
ci-scripts
Release 1.18.0

Hermann Krumrey

Sep 16, 2019

CONTENTS

1	ci_scripts package	3
1.1	Submodules	3
1.2	ci_scripts.common module	3
1.3	ci_scripts.npm module	3
1.4	ci_scripts.php module	3
1.5	ci_scripts.release_upload_common module	3
1.6	ci_scripts.ruby module	4
1.7	Module contents	4
2	ci_scripts	5
3	Indices and tables	7
	Python Module Index	9
	Index	11

Contents:

CI_SCRIPTS PACKAGE

1.1 Submodules

1.2 ci_scripts.common module

`ci_scripts.common.decode_base64_string_to_file` (*content: str, dest: str*)

Decodes a base64-encoded string and writes the result to a file :param content: The string to decode :param dest: The destination file path :return: None

`ci_scripts.common.process_call` (*command: List[str], ignore_error: bool = False*) → str

Prints a command and executes it. If the exit code is not 0, the program will crash. :param command: The command to run :param ignore_error: Ignores any errors during a process call if True :return: The output of the command call, stripped of whitespace

1.3 ci_scripts.npm module

`ci_scripts.npm.install_package` (*package: str*)

Installs an npm package :param package: The name of the package to install :return: None

1.4 ci_scripts.php module

`ci_scripts.php.checkstyle` ()

Runs checkstyle on the PHP project :return: None

`ci_scripts.php.docgen` ()

Generates documentation :return: None

`ci_scripts.php.install_composer` ()

Installs composer locally :return: None

`ci_scripts.php.unittest` ()

Runs PHP unit tests :return: None

1.5 ci_scripts.release_upload_common module

`ci_scripts.release_upload_common.get_content_type` (*filename: str*) → str

Retrieves a sensible content type for a file :param filename: The name of the file :return: The content type of the

file

`ci_scripts.release_upload_common.parse_args()` → Dict[str, Union[str, List[Dict[str, str]]]]
Parses command line arguments :return: A dictionary containing data required for uploading a release

1.6 ci_scripts.ruby module

`ci_scripts.ruby.gem_build()`

Builds gem for project :return: None

`ci_scripts.ruby.gem_publish()`

Publishes a gem :return: None

`ci_scripts.ruby.install_gem(gem: str)`

Installs a gem :param gem: The gem to install :return: None

`ci_scripts.ruby.make_sure_in_path()`

Makes sure the ruby paths are in the system's PATH :return: None

`ci_scripts.ruby.rdoc()`

Creates documentation using rdoc and rsync it for use in progstats :return: None

`ci_scripts.ruby.rubocop_test()`

Tests the style of the ruby project using rubocop :return: None

1.7 Module contents

CI_SCRIPTS

INDICES AND TABLES

- genindex
- modindex
- search

PYTHON MODULE INDEX

C

ci_scripts, 4
ci_scripts.common, 3
ci_scripts.npm, 3
ci_scripts.php, 3
ci_scripts.release_upload_common, 3
ci_scripts.ruby, 4

C

`checkstyle()` (in module *ci_scripts.php*), 3
`ci_scripts` (module), 4
`ci_scripts.common` (module), 3
`ci_scripts.npm` (module), 3
`ci_scripts.php` (module), 3
`ci_scripts.release_upload_common` (module), 3
`ci_scripts.ruby` (module), 4

D

`decode_base64_string_to_file()` (in module *ci_scripts.common*), 3
`docgen()` (in module *ci_scripts.php*), 3

G

`gem_build()` (in module *ci_scripts.ruby*), 4
`gem_publish()` (in module *ci_scripts.ruby*), 4
`get_content_type()` (in module *ci_scripts.release_upload_common*), 3

I

`install_composer()` (in module *ci_scripts.php*), 3
`install_gem()` (in module *ci_scripts.ruby*), 4
`install_package()` (in module *ci_scripts.npm*), 3

M

`make_sure_in_path()` (in module *ci_scripts.ruby*), 4

P

`parse_args()` (in module *ci_scripts.release_upload_common*), 4
`process_call()` (in module *ci_scripts.common*), 3

R

`rdoc()` (in module *ci_scripts.ruby*), 4
`rubocop_test()` (in module *ci_scripts.ruby*), 4

U

`unittest()` (in module *ci_scripts.php*), 3