
install-scripts

Release 0.1.5

Oct 04, 2018

CONTENTS

1	install_scripts package	3
1.1	Submodules	3
1.2	install_scripts.arch module	3
1.3	install_scripts.auth module	3
1.4	install_scripts.bashrc module	3
1.5	install_scripts.configs module	3
1.6	install_scripts.cryptomining module	4
1.7	install_scripts.customization module	4
1.8	install_scripts.distros module	4
1.9	install_scripts.helper module	4
1.10	install_scripts.hosts module	4
1.11	install_scripts.ubuntu module	4
1.12	Module contents	5
2	install_scripts	7
3	Indices and tables	9
	Python Module Index	11
	Index	13

Contents:

INSTALL_SCRIPTS PACKAGE

1.1 Submodules

1.2 `install_scripts.arch` module

`install_scripts.arch.install_essentials` (*desktop: bool = False*)

Installs essential packages :param desktop: Specifies if this is for a desktop system or not :return: None

`install_scripts.arch.install_packages` (*packages: List[str]*)

Installs packages on arch linux If it's not installed beforehand, pacaur will be installed before any other packages
:param packages: The packages to install :return: None

1.3 `install_scripts.auth` module

`install_scripts.auth.install_fingerprint_auth` (*distro: install_scripts.distros.Distros*)

Installs fprintd and sets up fingerprint authentication :param distro: The distro for which to install fprintd
:return: None

1.4 `install_scripts.bashrc` module

`install_scripts.bashrc.add_line_to_bashrc` (*line: str*)

Adds a line to bashrc :param line: The line to add :return: None

`install_scripts.bashrc.add_nas_bashrc_lines` (*desktop: bool*)

Adds NAS-related lines to the .bashrc files :param desktop: Specifies if this is for a desktop or not :return: None

`install_scripts.bashrc.base` (*distro: install_scripts.distros.Distros*)

Write a base bashrc file :return: None

1.5 `install_scripts.configs` module

`install_scripts.configs.execute_config` (*entry: str*)

Executes a configuration :param entry: The entry in the configuration to execute :return: None

1.6 install_scripts.cryptomining module

`install_scripts.cryptomining.build_cpuminer_multi` (*distro: install_scripts.distros.Distros, destination: str*)

Builds cpuminer-multi and moves it to the location specified :param distro: The distribution for which to build cpuminer-multi :param destination: The destination to which to

save the built cpuminer-multi to

Returns None

1.7 install_scripts.customization module

`install_scripts.customization.install_themes` (*distro: install_scripts.distros.Distros*)

Install numix themes :param distro: The distro for which to install :return: None

1.8 install_scripts.distros module

class `install_scripts.distros.Distros`

Bases: `enum.Enum`

An enum representing the possible distributions

ARCH = {'install': <function install_packages>}

FREENAS = None

UBUNTU = {'install': <function install_packages>}

1.9 install_scripts.helper module

`install_scripts.helper.process_call` (*command: List[str]*) → str

Prints a command and executes it. If the exit code is not 0, the program will crash. :param command: The command to run :return: The output of the command call, stripped of whitespace

1.10 install_scripts.hosts module

`install_scripts.hosts.block_domain` (*domain: str*)

Blocks a domain using the hosts file :param domain: The domain to block :return: None

`install_scripts.hosts.block_reddit` ()

Blocks reddit.com via the hosts file :return: None

1.11 install_scripts.ubuntu module

`install_scripts.ubuntu.install_essentials` (*desktop: bool = False*)

Installs essential packages :param desktop: Specifies if this is for a desktop system or not :return: None

`install_scripts.ubuntu.install_packages` (*packages: List[str]*)

Installs packages on ubuntu linux :param packages: The packages to install :return: None

1.12 Module contents

INSTALL_SCRIPTS

INDICES AND TABLES

- genindex
- modindex
- search

PYTHON MODULE INDEX

i

- `install_scripts`, 5
- `install_scripts.arch`, 3
- `install_scripts.auth`, 3
- `install_scripts.bashrc`, 3
- `install_scripts.configs`, 3
- `install_scripts.cryptomining`, 4
- `install_scripts.customization`, 4
- `install_scripts.distros`, 4
- `install_scripts.helper`, 4
- `install_scripts.hosts`, 4
- `install_scripts.ubuntu`, 4

A

add_line_to_bashrc() (in module install_scripts.bashrc), 3
 add_nas_bashrc_lines() (in module install_scripts.bashrc), 3
 ARCH (install_scripts.distros.Distros attribute), 4

B

base() (in module install_scripts.bashrc), 3
 block_domain() (in module install_scripts.hosts), 4
 block_reddit() (in module install_scripts.hosts), 4
 build_cpuminer_multi() (in module install_scripts.cryptomining), 4

D

Distros (class in install_scripts.distros), 4

E

execute_config() (in module install_scripts.configs), 3

F

FREENAS (install_scripts.distros.Distros attribute), 4

I

install_essentials() (in module install_scripts.arch), 3
 install_essentials() (in module install_scripts.ubuntu), 4
 install_fingerprint_auth() (in module install_scripts.auth), 3
 install_packages() (in module install_scripts.arch), 3
 install_packages() (in module install_scripts.ubuntu), 4
 install_scripts (module), 5
 install_scripts.arch (module), 3
 install_scripts.auth (module), 3
 install_scripts.bashrc (module), 3
 install_scripts.configs (module), 3
 install_scripts.cryptomining (module), 4
 install_scripts.customization (module), 4
 install_scripts.distros (module), 4
 install_scripts.helper (module), 4
 install_scripts.hosts (module), 4
 install_scripts.ubuntu (module), 4
 install_themes() (in module install_scripts.customization), 4

P

process_call() (in module install_scripts.helper), 4

U

UBUNTU (install_scripts.distros.Distros attribute), 4